

Soldan Fence

& METALS LTD.

SERVING THE FENCE INDUSTRY WITH
QUALITY MATERIALS & EXPERT INSTALLATION
"SINCE 1957"



Phone: (780) 436-9530
Fax: (780) 436-9533
Toll Free: 1-800-267-9113

5919 - 103A Street
Edmonton, Alberta
Canada T6H 2J7

FENCE SPECIFICATIONS

A

Soldan Fence

& METALS LTD.

SERVING THE FENCE INDUSTRY WITH
QUALITY MATERIALS & EXPERT INSTALLATION
"SINCE 1957"



A1

5919 - 103A Street
Edmonton, Alberta
Canada T6H 2J7

Phone: (780) 436-9530
Fax: (780) 436-9533
Toll Free: 1-800-267-9113

CHAIN LINK FENCE SPECIFICATIONS

SPECIFICATIONS F.F.H. OR B.W.O.	FABRIC MESH-GAUGE	LINE POSTS	TOP RAIL	TERMINAL POSTS	BOTTOM WIRE
NO. 1 (IMP.) METRIC (mm.)	2" x #6 50 x 5.16	2 3/8" 60.3	1 11/16" 42.8	3 1/2" 88.9	#6 5.16
NO. 2 (IMP.) METRIC (mm.)	2" x #9 50 x 3.76	2 3/8" 60.3	1 11/16" 42.8	3 1/2" 88.9	#9 5.16
NO. 3 (IMP.) METRIC (mm.)	2" x #9 50 x 3.76	1 7/8" 47.6	1 5/16" 33.3	2 7/8" 73.0	#9 3.76
NO. 4 (IMP.) METRIC (mm.)	1 1/2" x #9 38 x 3.76	2 3/8" 60.3	1 11/16" 42.8	3 1/2" 88.9	#6 5.16
NO. 5 (IMP.) METRIC (mm.)	2" x #11 50 x 3.04	1 7/8" 47.6	1 5/16" 33.3	2 7/8" 73.0	#9 3.76
RESIDENCE (IMP.) METRIC (mm.)	2" x #11 or 2" x #9 vinyl 50 x 3.04 or 50 x 3.76	1 11/16" 42.8	1 5/16" 33.3	1 7/8" or 2 3/8" 47.6 or 60.3	#9 3.76
ECONOMY (IMP.) METRIC (mm.)	2" x #11 50 x 3.04	T-Rails painted	#9 wire 3.76	2 7/8" 73.0	#6 5.16

ABOVE PIPE SIZES ARE OUTSIDE DIAMETER.

- F.F.H. ● Full fabric height.
- B.W.O. ● Barbed wire overhang.
- LINE POSTS ● 10 ft., O.C. in all spec's or three metres.
- GATES ● Up to 9'- 2 7/8" gate assemblies. (10'-14'- 3 1/2"), (15' & 16'- 4 1/2") (15' and over 6 5/8").
- NOTE: Metric measurements may vary slightly.

Soldan Fence


& METALS LTD.

SERVING THE FENCE INDUSTRY WITH
QUALITY MATERIALS & EXPERT INSTALLATION
"SINCE 1957"

Phone: (780) 436-9530
Fax: (780) 436-9533
Toll Free: 1-800-267-9113

5919 - 103A Street
Edmonton, Alberta
Canada T6H 2J7

COMPONENTS FOR A FENCE FULL FENCE HEIGHT (F.F.H.)



FENCE COMPONENTS

- (A) End, Gate, Corner Post
- (B) Line Post
- (C) Top Rail
- (D) Rail End & Brace Band
- (E) Line Post Eye Top
- (F) End, Gate, Corner Cap
- (G) Tension Band
- (H) Tension Bar
- (I) Chain Link Fabric
- (J) Ties
- (K) Bottom Wire

Soldan Fence

& METALS LTD.

SERVING THE FENCE INDUSTRY WITH
QUALITY MATERIALS & EXPERT INSTALLATION
"SINCE 1957"

A3

Phone: (780) 436-9530
Fax: (780) 436-9533
Toll Free: 1-800-267-9113

5919 - 103A Street
Edmonton, Alberta
Canada T6H 2J7

COMPONENTS FOR A FENCE

(COMPLETE WITH BARBED WIRE OVERHANG (B.W.O.))

POST SETTINGS

B.W.O.


(Barbed Wire Overhang)

- LINE POSTS: - 3" below F.F.H. of chainlink.
- END & GATE POSTS: - 18" above line post height.
- CORNER POSTS: - 5" above line post height.

F.F.H.

(Full Fabric Height)

- LINE POSTS: - 3" below F.F.H. of chainlink.
- END, GATE & CORNER POSTS: - 5" above line post height.



Soldan Fence

& METALS LTD.

SERVING THE FENCE INDUSTRY WITH
QUALITY MATERIALS & EXPERT INSTALLATION
"SINCE 1957"

A4

Phone: (780) 436-9530
Fax: (780) 436-9533
Toll Free: 1-800-267-9113

5919 - 103A Street
Edmonton, Alberta
Canada T6H 2J7

WATCHMAN FENCE SPECIFICATIONS

- OVERALL HEIGHT:** - F.F.H.- 5', 6' or 7'.
B.W.O.- 6', 7' or 8'.
- COMPLETE FENCE:** - Includes fabric, T-Rail line posts at 10' centres, and barbed wire if required.
- FABRIC:** - 6" x 6" mesh. Full #9 gauge galvanized tight-lock fabric.
- LINE POSTS:** - T-Rail posts, painted or galvanized, to be spaced 10' apart. If barbed wire overhang is required, posts have a 45 degree angle arm, 1' from top to take 3 strands of barbed wire.
- BARBED WIRE:** - 4-point, 6" spacing, 12½ gauge, galvanized wire.
- TERMINAL POSTS:** - End, gate, corner or straining posts are 2 7/8" O.D., galvanized pipe complete with 1 11/16" O.D. galvanized pipe braces and necessary fittings. (Gate post sizes increase as required for the size of gate.)
- GATES:** - 1 11/16" O.D., galvanized pipe frames, securely braced, with filling to match fence. Complete with latches, hinges, centre rest, hold opens and all necessary fittings.

Above pipe sizes are outside diameters.

*F.F.H. - Full Fabric Height.

*B.W.O. - Barb Wire Overhang.

Watchman fabric

Low cost. *Tight-lock* construction. Ideal fencing for industrial applications — fuel oil depots, game farms, etc.

Gauge	Mesh in inches	Heights in feet	Weight per 100 lin. ft. in pounds
9	6 x 6	5	145
9	6 x 6	6	174
9	3 x 6	7	203



Soldan Fence

& METALS LTD.

SERVING THE FENCE INDUSTRY WITH
QUALITY MATERIALS & EXPERT INSTALLATION
"SINCE 1957"



Phone: (780) 436-9530
Fax: (780) 436-9533
Toll Free: 1-800-267-9113

A-5
5919 - 103A Street
Edmonton, Alberta
Canada T6H 2J7

SAMPLE JOB OF HOW TO DRAW A FENCE PLAN

Chain Link Mesh (ie: #11 galvanized or #9 vinyl)

Height of fence:

Pipe Weight:

Total Footage c/w gates:

