

Soldan Fence

& METALS LTD.

SERVING THE FENCE INDUSTRY WITH
QUALITY MATERIALS & EXPERT INSTALLATION
"SINCE 1957"



Phone: (780) 436-9530
Fax: (780) 436-9533
Toll Free: 1-800-267-9113

5919 - 103A Street
Edmonton, Alberta
Canada T6H 2J7

PIPE

&

POSTS

F

Soldan Fence

& METALS LTD.

SERVING THE FENCE INDUSTRY WITH
QUALITY MATERIALS & EXPERT INSTALLATION
"SINCE 1957"




Phone: (780) 436-9530
Fax: (780) 436-9533
Toll Free: 1-800-267-9113

5919 - 103A Street
Edmonton, Alberta
Canada T6H 2J7

PUNCHED T-RAIL POSTS

(1 3/8" X 1 1/2" T)



LENGTH	LIGHT T-13 PAINTED	REGULAR T-12 PAINTED	T12 GALVANIZED
6 FT.	6.40 LBS.	8.0 LBS.	8.6 LBS.
7 FT.	7.50 LBS.	9.3 LBS.	10.0 LBS.
8 FT.	8.60 LBS.	10.6 LBS.	11.4 LBS.
9 FT.	N/A	12.0 LBS.	12.9 LBS.
10 FT.	N/A	13.3 LBS.	14.3 LBS.
12 FT.	N/A	N/A	17.1 LBS.

Punched T-rail posts are made of high grade steel, featuring the famous "T" cross section designed for rigidity and toughness. Excellent for farm, lawn or chain link fences. Fencing is secured to the broad face of the post with wire clips. The clips are passed through the holes punched in the post and wrap securely around the line wires. No post hole digging is necessary as t-rail posts can be pounded into the ground. T-rail posts are protected against rust and corrosion by red oxide paint or they are available in a hot dipped galvanized finish.

STUDDED T-RAIL POSTS



LENGTH	PAINTED	
	MODEL	WEIGHT
6 FT.	0.90	5.70 LBS.
7 FT.	0.90	6.65 LBS.
8 FT.	0.90	7.60 LBS.
8 FT.	1.25	9.60 LBS.
9 FT.	1.25	11.00 LBS.
10 FT.	1.25	12.50 LBS.
9 FT.	1.33	12.00 LBS.
10 FT.	1.33	13.30 LBS.
UNPAINTED (ECONO)		
6-FT.	0.90	5.70 LBS.
7-FT.	0.90	6.65 LBS.
8-FT.	0.90	7.60 LBS.

Soldan Fence

& METALS LTD.

SERVING THE FENCE INDUSTRY WITH
QUALITY MATERIALS & EXPERT INSTALLATION
"SINCE 1957"




Phone: (780) 436-9530
Fax: (780) 436-9533
Toll Free: 1-800-267-9113

F-2
5919 - 103A Street
Edmonton, Alberta
Canada T6H 2J7

GALVANIZED PIPE AND TUBING

- * Standard outside diameters (O.D.) for chain link fencing
- * Various wall thickness available (.057 to Schedule 40)
- * Approximate O.D. sizes are shown



Soldan Fence

& METALS LTD.

SERVING THE FENCE INDUSTRY WITH
QUALITY MATERIALS & EXPERT INSTALLATION
"SINCE 1957"

F3

Phone: (780) 436-9530
Fax: (780) 436-9533
Toll Free: 1-800-267-9113

5919 - 103A Street
Edmonton, Alberta
Canada T6H 2J7



HEAVY - SCH. 40								
DIAMETER O.D.		I.D. SIZE	WALL THICKNESS		WGT LBS./FT.KG/M		LENGTHS	PCS/BDL.
1 1/16"	(27.0mm)	3/4"	.113	(2.87mm)	1.13	(1.68)	21'	102
1 5/16"	(35.0mm)	1"	.133	(3.38mm)	1.68	(2.5)	21'	91
1 11/16"	(42.0mm)	1 1/4"	.140	(3.56mm)	2.27	(3.39)	21',24'	61
1 7/8"	(48.0mm)	1 1/2"	.145	(3.68mm)	2.72	(4.05)	21',24'	61
2 3/8"	(60.0mm)	2"	.154	(3.91mm)	3.65	(5.44)	21',24'	37
2 7/8"	(75.0mm)	2 1/2"	.203	(5.16mm)	5.79	(8.63)	21',24'	29
3 1/2"	(90.0mm)	3"	.216	(5.49mm)	7.58	(11.29)	21',24'	29
4"	(100.0mm)	3 1/2"	.226	(5.74mm)	9.20	(13.69)	21'	--
4 1/2"	(114.0mm)	4"	.237	(6.02mm)	10.79	(16.07)	21'	10/14
6 5/8"	(168.0mm)	6"	.280	(7.11mm)	18.97	(25.26)	21'	10

.090" WALL				SS15 - .077 WALL		
DIAMETER O.D.	(APPROX) I.D. SIZE	(APPROX) WT. PER FT.	STOCK LENGTHS	(APPROX) WT./FT.	STOCK LENGTHS	Pcs./Bdl.
1 5/16"	1"	1.18	21'	.9558	21'	91
1 11/16"	1 1/4"	1.51	21'+24'	1.2211	21'+24'	61
1 7/8"	1 1/2"	1.74	21'+24'	1.4057	21'+24'	61
2 3/8"	2"	2.20	21'+24'	1.880	21'+24'	37
2 7/8" .116 WALL	2 1/2"	3.76	21'			29
3 1/2" .116 WALL	3"	4.61	21'			29

TUBING- 17 GAUGE- .057 WALL					
DIAMETER O.D.	APPROXIMATE I.D. SIZE	APPROXIMATE WALL THICKNESS	APPROXIMATE WT./FT.	LENGTH	Pcs./Bdl.
1 5/16"	1"	.057	.7397	21'+24'	91
1 11/16"	1 1/4"	.057	.8957	21'+24'	61
1 7/8"	1 1/2"	.057	1.0118	21'+24'	61

O.D. MINUS WALL X WALL X 10.68 = WT. PER FOOT